

BEARING SOLUTIONS EU SE



**In cooperation with
Röttgers-Ketten**

Quality brand since 1919


Röttgers Ketten has been a recognised manufacturer of quality chains since 1919. From the abbreviation of the company founder August Röttgers, the brand name aRö developed into a byword for chains of the highest quality.

At its location in Iserlohn in North Rhine-Westphalia, the family-owned company manufactures heat resistant stainless steel chains, conveyor chains for agriculture and food industry, sling chains, pump chains, hoist chains, anchor chains and chains for playgrounds.

*„We produce 2 million metres of chain in Iserlohn every year.
A chain of this length would stretch from Iserlohn to Moscow“.*

Below, we would like to present a few examples from our range of products in more detail. In addition to standard chains, we also produce and supply chains manufactured according to customers' specifications. We look forward to receiving your enquiry and are available to provide you with expert advice.

Max Röttgers
Managing Director




Conveyor chains for meat/poultry processing systems



Conveyor chains for meat/poultry processing systems

Conveyor chains, tested, with acceptance test certificate EN 10204-3.1

- Dimension: length 50 m
- Material: hardened steel, INOX stainless steel 1.4301, 1.4310, 1.4404, 1.4462, 1.4571
- Surface steel: galvanised (GZN)
- Surface INOX: blasted, polished



Thickness d [mm]	Link length inside t [mm]	Width inside b ₁ min. [mm]	Width outside b ₂ max. [mm]	Weight approx. [kg/m]	Tensile force Grade 60 max. [t]	Breaking force min. [kN]
8	25,4	9,6	26	1,3	1,6	62
8	38	13,5	29,8	1,2	1,6	62
9	28	11,2	31,3	1,73	2	78
10	38	12,5	34	2	2,5	98

Connecting links

- Material: hardened steel
- Surface: galvanised (ZN)

Dimension	8 x 25,4	8 x 38	9 x 28	10 x 38
Breaking force [kN]	30	30	35	40



Trolleys (brackets and wheels)

- Brackets and wheels available separately
- Wheels, ball bearing mounted
- Assembly: add-on elements in contract work at provision
- Special design on request
- Brackets available on request with screwed wheels or clipped wheels
- Standard colour of wheels is black
- Other RAL colours on request ● ● ● ●



Subject to technical changes. All information without guarantee. Further products: www.roettgersketten.de

Contact

Baring Solutions EU SE
www.h-l-t.asia

Peter Glauser, CEO
Mobil +420 77 77 241 21
peter.glauser@icross.eu